



Bangladesh Accreditation Board (BAB)

91, Motijheel C/A, Dhaka-1000, Tel: +880-2-9513221 Fax: +880-2-9513222

Email: info@bab.org.bd Web: www.bab.org.bd

Certificate of Accreditation

This is to certify that

National Control Laboratory (NCL)

Directorate General of Drug Administration (DGDA)

IPH Campus, Mohakhali, Dhaka-1212

has been granted accreditation in respect of the scope of accreditation described in the attached document, subject to the terms and conditions governing the relevant Conformity Assessment Body (CAB) accreditation

This Testing Laboratory having met the requirements of ISO/IEC 17025:2005 and the BAB, is accredited for Pharmaceutical Testing as described in the associated Scope of Accreditation.



Certificate Number : 01.045.17

Issued on : 31 December 2017

Accreditation Date : 27 December 2017

Valid until : 26 December 2020

Md. Monwarul Islam
Director General

Bangladesh Accreditation Board (BAB)

This certificate has been issued under the authority of Bangladesh Accreditation Act, 2006 and must be returned on request; reproduction must follow guidelines in place at date of issue. For the specific scopes to which this accreditation applies, please refer to the directory of accredited CABs at <http://www.bab.org.bd/directory-of-accredited-cabs>

SCOPE OF ACCREDITATION

(For Testing Laboratory)

CAB Name & Address: **National Control Laboratory (NCL)**
 Directorate General of Drug Administration (DGDA)
 IPH Campus, Mohakhali, Dhaka-1212, Bangladesh

Accreditation Standard: ISO/IEC 17025:2005	Accreditation Date: 27.12.2017
Certificate Number : 01.045.17	Issued on : 31.12.2017
Last Amended on : NA	Valid until : 26.12.2020
Amendment no : NA	

S.N.	Products/ Materials/ Items of test	Type of tests performed	Specifications/ Standard test methods/Techniques used	Range of testing/Limit of detection
Field: Microbiology				
01.	Finished Products	Total Aerobic Microbial Count (TAMC)	NC-MB-GNL-020 (USP-37)	NMT10 ³ CFU/g
02.	Finished Products	Total Yeast and Mould Count (TYMC)	NC-MB-GNL-020 (USP-37)	NMT10 ² CFU/g
03.	Finished Products	Identification of <i>Escherichia Coli</i>	NC-MB-GNL-020 (USP-37)	Present or Absent in 1 g

END



Quality Manager