



ACCREDITATION CERTIFICATE

Issued under the authority of Bangladesh Accreditation Act, 2006
by Bangladesh Accreditation Board (BAB), Ministry of Industries to

Envirocare International Ltd.

**House # 02, Road # 05, Dhour, Neshat Nagar
Turag, Dhaka, Bangladesh.**

This is to certify that this

Inspection Body (Type-A)

is accredited in accordance with the international standard

ISO/IEC 17020:2012

in respect of the associated scope, subject to the terms and
conditions governing the relevant conformity assessment
body (CAB) accreditation.

Certificate Number : **05.010.21**
Accreditation Date : **16 June 2021**
Date of Issuance : **16 June 2021**
Date of Expiration : **15 June 2024**




Md. Monwarul Islam
Director General

This certificate must be returned on request; reproduction must follow BAB guidelines. For the specific scopes to which this accreditation applies, please refer to the Directory of CABs at BAB website.

SCOPE OF ACCREDITATION

(For Inspection Bodies)

CAB Name & Address:	Envirocare International Ltd., House # 02, Road # 05, Dhour, Nishat Nagar, Turag, Dhaka, Bangladesh	Accreditation Date:	16 June 2021
Accreditation Standard:	ISO/IEC 17020:2012	Issued on:	16 June 2021
Certificate Number:	05.010.21	Valid until:	15 June 2024
Last Amended on:	NA		
Amendment no:	NA		
Types :	A		

Head Office or primary location			Additional Locations (If different from Head Office)		
House # 02, Road # 05, Dhour, Nishat Nagar, Turag, Dhaka, Bangladesh			1	House 09, Road 06, Sector 12, Uttara, Dhaka.	
			2		
			3		
Type (A,B,C)	Inspection Category (Product, Process, Services or Installation)	Inspection Field (and sub-fields)	Range of inspections	Stage of inspection	Inspection requirements or criteria
A	Services	Noise Level Inspection	30 to 130 dB	On Site Inspection	In House (EIL SOP 01)
		Light Level Assessment	0 to 20,000 Lux		In House (EIL SOP 02)
		Temperature Level Inspection	0 °C to 50 °C		In House (EIL SOP 04)
		Humidity Level Inspection	10% to 95% RH		In House (EIL SOP 04)
		Air Velocity level Inspection	0.4 to 30.0 m/s		In House (EIL SOP 04)
		Vibration Level Assessment	0.1 to 199.9 m/s ²		In House (EIL SOP 03)
		Stack Air Emission	O ₂ : 0 to 25 Vol. % NO: 0 -4000 mg/Nm ³ NO _x : 0 to 25 Vol. % CO : 0 to 10000 ppm CO ₂ : 0 to CO ₂ max. SO ₂ : 0 to 5,000 ppm Flue Temperature: -40 to +1.200 °C		In House (EIL SOP 05)
		Ambient Air Quality Assessment	PM _{2.5} : 0~2000ug/m ³ PM ₁₀ : 0~2000ug/m ³ CO ₂ : 0-9999ppm HCHO: 0.00 to 5.00 ppm (or mg/m ³) TVOC: 0.00 to 9.99		In House (EIL SOP 06)



 Quality Manager

			ppm (or mg/m ³) O3: 0-20 ppm (or mg/m ³) NO: 0-250 ppm(or mg/m ³) NO2: 0-20 ppm (or mg/m ³) SO2: 0-20 ppm (or mg/m ³)		
		Industrial Hygiene and Indoor Air Quality Assessment	PM2.5: 0~2000ug/m3 PM10: 0~2000ug/m3 CO2: 0-9999ppm HCHO: 0.00 to 5.00 ppm (or mg/m ³) TVOC: 0.00 to 9.99 ppm (or mg/m ³) O3: 0-20 ppm (or mg/m ³) NO: 0-250 ppm(or mg/m ³) NO2: 0-20 ppm (or mg/m ³) SO2: 0-20 ppm (or mg/m ³)		In House (EIL SOP 06)

END



Quality Manager